

HAYNES Safety Data Sheet

HAYNES 500

Haynes Manufacturing Company

SECTION 1 – COMPANY AND PRODUCT IDENTIFICATION

Haynes Manufacturing Co.
24142 Detroit Rd.
Westlake, Ohio 44145, USA

Emergency Phone: (440) 871-2188 X195
Revision Date: **05/01/2015**
Contact: Beth Kloos

PRODUCT NAME: **HAYNES 500 – WHITE CAP**
PRODUCT CODE: 20
APPLICATION: LUBRICATING GREASE
USES ADVISED AGAINST: FOR INDUSTRIAL USE ONLY

SECTION 2 – HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is not classified under the Globally Harmonized System.

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label Elements

Emergency Overview

Appearance White	Physical State Grease	Odor Characteristic
------------------	-----------------------	---------------------

Hazards not otherwise classified (HNOC)

None known

Other Information

None known

Unknown acute toxicity
toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

Components	Cas No.	Weight %
Titanium dioxide	13463-67-7	<1%

The exact percentage (concentration) of composition has been withheld as a trade secret.

HAYNES Safety Data Sheet

HAYNES 500

Haynes Manufacturing Company

SECTION 4 – FIRST AID MEASURES

- General advice:** Show this safety data sheet to the doctor in attendance. Remove contaminated clothing and shoes. Wash contaminated clothing before re-use. Wash off with soap and water. If symptoms persist, call a physician.
- Eye contact:** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
- Skin contact:** Remove and wash contaminated clothing before re-use. Wash off immediately with soap and plenty of water.
- Ingestion:** If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.
- Inhalation:** Move to fresh air in case of accidental inhalation of vapors. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Consult a physician if necessary. Consult a physician.
- Note to physician:** Treat symptomatically.
- Medical condition aggravated by exposure:** Dermatitis.

SECTION 5 – FIRE FIGHTING MEASURES

- Suitable extinguishing media:** CO2 extinguishers and dry chemical.
- Specific hazards:** Do not allow material to contaminate ground water system.
- Special protective equipment for fire-fighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.
- Specific methods:** Water mist may be used to cool closed containers.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

- Personal precautions:** Ensure adequate ventilation. Do not breathe vapour/dust. Use personal protective equipment. Avoid contact with skin, eyes, and clothing. Wash thoroughly after handling.

HAYNES Safety Data Sheet

HAYNES 500

Haynes Manufacturing Company

Environmental precautions: Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system.

Methods for cleaning up: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up and shovel into suitable containers for disposal.

SECTION 7 – HANDLING AND STORAGE

Handling

Technical measures/precautions: Provide sufficient air exchange and/or exhaust in work rooms.

Safe handling advice: In case of insufficient ventilation, wear suitable respiratory equipment. Do not breathe vapors or spray mist. Wear personal protective equipment. Avoid contact with skin and eyes. Wash thoroughly after handling.

Storage

Technical measures/storage conditions: Store at room temperature in the original container

Incompatible products: Strong oxidizing agents

Safe storage temperature: 5 – 35 ° C

Shelf life: 2 years

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

Components	ACGIH Exposure Limits	OSHA TWA (final)	NIOSH – Pocket Guide
White Mineral Oil	5 mg/m ³	5 mg/m ³	5 mg/m ³ (TWA)
Thickening Agent	1 mg/m ³ (TWA)	None	None
Calcium Carbonate	None	15 mg/m ³	10 mg/m ³ (TWA) 5 mg/m ³ (TWA)
Titanium dioxide	10 mg/m ³ (TWA)	15 mg/m ³	None

Engineering measures: Ensure adequate ventilation.

Personal Protective Equipment:

General: Eye Wash and Safety Shower

HAYNES Safety Data Sheet

HAYNES 500

Haynes Manufacturing Company

- Respiratory protection:** If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, a NIOSH-certified respirator with organic vapor/P100 filter should be worn.
- Eye protection:** Safety glasses with side-shields.
- Hand protection:** Recommended: neoprene, latex, nitrile, butyl rubber and polyethylene type.
- Skin and body protection:** Long sleeved clothing.
- Hygiene measures:** Avoid contact with skin, eyes and clothing.



SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Grease
Color:	White
Odor:	Characteristic
Odor Threshold:	No information available.
pH:	Not applicable.
pH Dilution:	No information available.
Melting/freezing point:	No information available.
Boiling Point/Range:	No information available.
Flash Point:	249°C/480°F
Method:	Cleveland Open Cup (COC)
Evaporation Rate:	No information available.
Flammability Limits in Air	
Upper Flammability Limit	No information available.
Lower Flammability Limit	No information available.
VOC Content:	No information available.
Vapor Pressure:	No information available.
Vapor Density:	No information available.
Specific Gravity (g/cc, 15C):	0.91
Bulk Density (lb/ga;. 15C):	7.5
Density @25°C(g/cc):	0.91
Bulk Density @77°F(lb/gal):	7.5
Water Solubility:	Insoluble
Solubility in other solvents:	No information available.
Partition coefficient: n-octanol/water:	No information available.
Autoignition temperature:	No information available.
Decomposition Temperature:	No information available.
Kinematic viscosity:	220 mm ² /s @40°C
Dynamic viscosity:	No information available.

HAYNES Safety Data Sheet

HAYNES 500

Haynes Manufacturing Company

Molecular Weight:

No information available.

SECTION 10 – STABILITY AND REACTIVITY

Stability: Stable under recommended storage conditions.

Conditions to avoid: None known

Materials to avoid: Strong oxidizing agents

Hazardous decomposition products: Carbon oxides, Sulphur oxides, Smoke.

Hazardous Polymerization: Not applicable

SECTION 11 – TOXICOLOGICAL INFORMATION

No toxicological information is available on the product. Data obtained on components are summarized below.

Information on likely routes of exposure

Inhalation: May cause irritation of respiratory tract.
Eye Contact: Contact with eyes may cause irritation.
Skin Contact: Prolonged contact may cause redness and irritation.
Ingestion: Ingestion may cause gastrointestinal, nausea, vomiting and diarrhea.

Components	LD50 Oral	LD50 Dermal	LC50 Inhalation
Titanium Dioxide	10000 mg/kg (Rat)	–	–

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity This product contains titanium dioxide which is classified as an IARC 2B carcinogen based on laboratory studies where animals were exposed to titanium dioxide dust. This is not a relevant route of exposure for this product since it is a moist solid material with little to no chance of producing dust.

Components	IARC Carcinogens	NTP	OSHA-Select Carcinogens
Titanium Dioxide	Group 2B (Possibly Carcinogenic to Humans)	Not Listed	Present

Sensitization: No information available.

Mutagenic effects: No information available.

HAYNES Safety Data Sheet

HAYNES 500

Haynes Manufacturing Company

Reproductive Toxicity: No information available.
 Developmental Toxicity: No information available.
 Teratogenic: No information available.
 Specific target organ systemic toxicity (single exposure) No information available.

Specific target organ systemic toxicity (repeated exposure) No information available.

Aspiration Hazard: No information available.

Additional information on toxicological effects

MINERAL OIL INFORMATION:

Any products containing a substance for which OSHA has established permissible exposure limit (PEL) is considered hazardous. OSHA has established a PEL of 5 mg/m³ for worker exposure to air borne mists of mineral oils. Therefore, the presence of mineral oils brings this product within the provisions of the OSHA Hazard Communication Standard where the PEL reaches or exceeds 5 mg/m³. Health studies have shown that many petroleum hydrocarbons pose potential human health risks which may vary from person to person. As a precaution, exposure to liquids, vapors, mists, or fumes should be minimized.

SECTION 12 – ECOLOGICAL INFORMATION

Components	Ecotoxicity – Fish Species Data:	Ecotoxicity – Freshwater Algae Data:	Ecotoxicity – Water Flea Data:
Titanium Dioxide	No data	No data	No data

0.4% of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and degradability: No information available

Bioaccumulation: No information available.

Components	Octanol/water partition coefficient
Titanium Dioxide	-

Mobility: No data available

Ozone: No data available.

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste from residues/unused products: Waste disposal must be in accordance with appropriate Federal, State, and local regulations. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local hazardous waste regulatory authority.

HAYNES Safety Data Sheet

HAYNES 500

Haynes Manufacturing Company

Contaminated packaging: Do not re-use empty containers

Methods for cleaning up: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up and shovel into suitable containers for disposal.

SECTION 14 – TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION:

Proper shipping name: Not Regulated

TDG (CANADA):

Proper shipping name: Not Regulated

IMDG/IMO:

Proper shipping name: Not Regulated

IATA/ICAO:

Proper shipping name: Not Regulated

SECTION 15 – REGULATORY INFORMATION

Federal Regulations

OSHA Hazard Communication Standard This product is considered non-hazardous under the OSHA Hazard Communication Standard.

CERCLA/SARA Information

SARA (311, 312) hazard class: This product possesses the following SARA Hazard Categories

Immediate Health (Acute): No

Delayed Health (Chronic): No

Flammability: No

Pressure: No

Reactivity: No

Components	Hazardous Substances and RQs	Extremely Hazardous Substances and TPQs	SARA 313 Emission Reporting
Titanium dioxide	Not listed	Not listed	Not listed

CERCLA/SARA 313 Emission reporting: This product contains no components subject to the reporting of SARA 313.

Clean Air and Clean Water Acts:

Components	Hazardous Air Pollutants	CWA – Hazardous Substances	CWA – Toxic Pollutants	CWA – Priority Pollutants
-------------------	---------------------------------	-----------------------------------	-------------------------------	----------------------------------

HAYNES Safety Data Sheet

HAYNES 500

Haynes Manufacturing Company

Titanium dioxide	Not listed	Not listed	Not listed
------------------	------------	------------	------------

U.S. STATE REGULATIONS (RTK):

Components	California Proposition 65	PARTK	MI Critical Materials	NJRTK	MARTK
Titanium dioxide	carcinogen	Present	Not Listed	1861	Present

California Proposition 65 Status: Listed component present: titanium dioxide

RCRA Status: Not regulated

NSF Registration Number: 135023

CANADIAN REGULATIONS

Canada – WHMIS Classification Information: This product has been classified according to the hazard criteria of the CPR and the SDS contains all the information required by CPR.

Canadian Product Classification: Not regulated.

Product Classification Graphic(s):

Component Classification Data:

Component Classification Data:

Components	WHMIS Hazard	CEPA Schedule 1	Challenge Substances
Titanium dioxide	D2A	Not Listed	Not Listed

INVENTORY STATUS:

United States TSCA – Sect. 8(b) Inventory: This product complies with TSCA

Canada DSL/NDSL Inventory List This product complies with DSL

SECTION 16 – OTHER INFORMATION

Sources of key data used to compile Material Safety Data Sheets of the ingredients.

Revision Date: 05/01/2015
Reason for Revision: New Format.

HAYNES Safety Data Sheet

HAYNES 500

Haynes Manufacturing Company

**Personal protection recommendations should be reviewed by purchasers.
Workplace conditions are important factors in specifying adequate protection.**

Prepared By:

Haynes Manufacturing Company
24142 Detroit Road
Westlake, Ohio 44145

We believe the statements, technical information, and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind, expressed or implied, and we assume no responsibility for any loss, damage, of expense, direct or consequential, arising out of their use.

End of Safety Data Sheet